	The second secon		
	CLASSIFICATION SECRET		\ 25X
	CENTRAL INTELLIGENCE AGENCY	REPORT	
	information report	CD NO.	
COUNTRY	East Germany	DATE DISTR.21 November	er 1958
SUBJECT	Planning and Construction of an Underground Radio Station for the East German Army at Strausberg	NO. OF PAGES 2	
PLACE ACQUIRED		NO. OF ENCLS.	
NFO.		SUPPLEMENT TO REPORT NO.	25 X 1
L	DIFERENCE OF THE PROPERTY OF T		
	PLEASE ROUTE	\$ %	
			25 X 1
of the United Stat U.S.C., 31 and 32. I Of Its Contents in	NTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE TES WITHIN THE HEAMING OF THE ESPIONACE ACT 50 AS AMENDED. ITS TRANSMISSION OR THE REVELATION ANY MANNER TO AN UNAUTHORIZED PERSON IS PRO- PRODUCTION OF THIS FORM IS PROMINITED.		
	1. In 1957, the Entwurfsbuero (planning of Service received an order from the Quan Nationale Streitkraefte Dienstelle St (Strausberg headquarters of the National the projecting of an underground france	transfer of the	
,	Nationale Streitkraefte Dienststelle St (Strausberg headquarters of the National the projecting of an underground transmaccording to preliminary projects drawn und Fornmeldeanlagenbau Berlin) (radio equipment plant). This order was to be classified material. The project was de SES Strausberg. The significance of "SE In a meeting with FFAB repr (electrical engineer) it was learned involved a large aerial array, Projects equipment of the station were not complete.	termaster of the trausberg (1) Armed Forces) for ditting station in up by FFAB (Funkmand telecommunication treated as issignated (2) was not known resentative Hansel that the project of the interior	6/E D/6L
	Nationale Streitkraefte Dienststelle Signationale Streitkraefte Dienststelle Signationale Streitkraefte Dienststelle Signationale Streitkraefte Dienststelle Signationale Streitsberg headquarters of the National the projecting of an underground transmaccording to preliminary projects drawn und Fernmeldeanlagenbau Berlin) (radio equipment plant). This order was to be classified material. The project was de SES Strausberg. The significance of "SE In a meeting with FFAB representation of the significance of "SE involved a large aerial array. Projects equipment of the station were not complete specification by the client. 2. The station was to be located south of Muercheberg-Kuestrin highway No 5, east	termaster of the trausberg (1 Armed Forces) for ditting station in up by FFAB (Funk-and telecommunication treated as isignated (2) was not known esentative Hansel that the project for the interior eted pending final (25)	6/E D/6L
	Nationale Streitkraefte Dienststelle Stationale Streitkraefte Dienststelle Stationale Streitkraefte Dienststelle Stationale Streitsberg headquarters of the National the projecting of an underground transmaccording to preliminary projects drawn und Fernmeldeanlagenbau Berlin) (radio equipment plant). This order was to be classified material. The project was described material. The project was described material with FFAB representation of the significance of "SE In a meeting with FFAB representation of the station were not complete equipment of the station were not complete specification by the client. 2. The station was to be located south of	termaster of the trausberg (1 Armed Forces) for itting station in up by FFAB (Funkmand telecommunication treated as issignated (1 armed Film Hansel that the project for the interior eted pending final (1 armed Film Hansel the Berlin of Herzfelde, and dichtenov.) out by the ervision office and on of 120 workers	9/6/E D/GL 25X
	Nationale Streitkraefte Dienststelle Stationale Streitsberg headquarters of the National the projecting of an underground transmaccording to preliminary projects drawn und Fernmeldeanlagenbau Berlin) (radio equipment plant). This order was to be classified material. The project was de SES Strausberg. The significance of "SE In a meeting with FFAB represent (electrical engineer) it was learned involved a large aerial array. Projects equipment of the station were not comples specification by the client. 2. The station was to be located south of Muercheberg-Kuestrin highway No 5, east in line with the localities of Kagel and S. The construction work was to be carried Frankfurt/Oder VEB Bauunion. A work sup temporary buildings for the accommodation were available at Herzfelde. A total of	termaster of the trausberg (1 Armed Forces) for itting station in up by FFAB (Funkmand telecommunication treated as isignated (2) was not known esentative Hansel that the project for the interior eted pending final (2) the Berlin- of Herzfelde, and delichtenous (2) out by the ervision office and on of 120 workers (3 million classified matter, and ecy. Relevant data arried by	9/6/E 25X X1
	Nationale Streitkraefte Dienststelle Si (Strausberg headquarters of the National the projecting of an underground transmaccording to preliminary projects drawn und Fornmeldeanlagenbau Berlin) (radio equipment plant). This order was to be classified material. The project was de SES Strausberg. The significance of "SE In a meeting with FFAB repr (electrical engineer) it was learned involved a large aerial array. Projects equipment of the station were not compl specification by the client. 2. The station was to be located south of Muercheberg-Kuestrin highway No 5, east in line with the localities of Kagel and Frankfurt/Oder VEB Bauunion. A work sup temporary buildings for the accommodati were available at Herzfelde. A total of eastmarks was to be invested. 4. The entire project SES Strausberg was a all persons involved were bound to secruter not to be sent by mail but to be compassengers. The messengers wore civilians.	termaster of the trausberg (1 Armed Forces) for itting station in up by FFAB (Funkmand telecommunication treated as isignated (2) was not known esentative Hansel that the project for the interior eted pending final (2) the Berlin- of Herzfelde, and delichtenous (2) out by the ervision office and on of 120 workers (3 million classified matter, and ecy. Relevant data arried by	9/6/E 25X X1
	Nationale Streitkraefte Dienststelle Si (Strausberg headquarters of the National the projecting of an underground transmaccording to preliminary projects drawn und Fornmeldeanlagenbau Berlin) (radio equipment plant). This order was to be classified material. The project was de SES Strausberg. The significance of "SE In a meeting with FFAB repr (electrical engineer) it was learned involved a large aerial array. Projects equipment of the station were not compl specification by the client. 2. The station was to be located south of Muercheberg-Kuestrin highway No 5, east in line with the localities of Kagel and Frankfurt/Oder VEB Bauunion. A work sup temporary buildings for the accommodati were available at Herzfelde. A total of eastmarks was to be invested. 4. The entire project SES Strausberg was a all persons involved were bound to secruter not to be sent by mail but to be compassengers. The messengers wore civilians.	termaster of the trausberg (1 Armed Forces) for itting station in up by FFAB (Funkmand telecommunication treated as isignated (2) was not known esentative Hansel that the project for the interior eted pending final (2) the Berlin- of Herzfelde, and delichtenous (2) out by the ervision office and on of 120 workers (3 million classified matter, and ecy. Relevant data arried by	9/6/E 25X X1

2	5	Y	1	
_	O	Л	-	

CONFIDENTIAL U.S. OFFICIALS ONLY CLASSIFICATION

COUNTRY

East Cormany

REPORT

25X1

SUBJECT

Projected Redioplant of NVA SES Strausberg

DATE OF REPORT. 20 October 1958

PLACE ACQUIRED

25X1

LAST REPORT ON SUBJECT (If applicable)

ANNEXES 2 - blueprints

25X1

- 1. In 1957, the Projecting Office of the East German Postal Service received an order from the Quartermaster of the Nationale Streitkraefte Dienststelle Strausberg 🦿 (Strausbarg headquarters of the National Armed Forces) for the projecting of an underground transmitting station according to preliminary projects drawn up by FFAB (Funkund Fernmeldeanlagenbau Berlin) (radio and telecommunication equipment plant). This order was to be treated as classified material. The project was designated SES Strausborg. The signification of SES could not be determined. In a meeting with FFAB representative Hansel (electrical engineer) it was understood that the project involved a large aerial array. Projects for the interior equipment of the station were uncompleted pending final specification by the client.
- 2. The station was to be located south of the Berlin-Muencheberg-Kuestrin highway No 5, east of Herzfelde, and in line with the localities of Kagel and Lichtenow.
- 3. The construction work was to be carried out by the Frankfurt/Oder VEB Bauunion. A work supervision office and temporary buildings for the accommodation of 120 workers were available at Herzfelde. A total of 3 million eastmarks was to be invested.
- 4. The entire project SES Strausberg was a classified matter, all persons involved were bound to secrecy. Relevant data were not to be sent by mail but to be carried by messengers. The messengers wore civilian clothes and carried NVA identification cards.

. 2 .

CONFIDERTIAL - U.S. OFFICIALS ONLY

25X1

25X1


- 5. Excavation work was started in April 1958 and may be expected to have been completed In May 1958, the construction site was operational, building materials (gravel and cement) were being delivered, the living quarters were finished, and power was supplied via a transformer station. By late June 1958 the preliminary work was to be completed. Concrete work was to be started in July 1958 and the project was slated for completion in the fall of 1959.
- 6. Commiderable bottlenecks were allegedly encountered in the delivery of round steel (30mm, gradel) and were threatening a delay in the commencement of the construction

Comment: For blueprints, see Annex.

25X1

CONFIDE TIAL - U.S. OFFICIALS ONLY

4.0	•	•	- 2 -			*	5	
		S-E	-C-R-E-T	•				
				•				
5.	Six envention w			Aporth 29: d by the e				
i	tey 1958 , th					. Iz building		
1	natorials (g	ravel and	omant)	wers being	delivere	l, the co	astruction	
rs.	living quart a transforms	ers were : r station	Timished, Sw. leta	a nd power 1959 • Summer	the ampl.	lied via		
			a regionalista	ن ورونید به معادد ده د	orne jaros.	estanty with		
,	or: was to	refigues ed	bed. Upan	CLACK MOLE	was to de	S CALL CALL		
1	øor∷ was to in Ju ly 1 958	te complete and the						
1	cor: was to	te complete and the						
6.	work was to in July 1958 in The fall Joneiderable	be completed and the post 1959. bottleness	oks ware	as plated	for comple	stion		
6,	vor: was to in July 1958 in the fall Joselderable lelivery of	be completed and the post 1959. bottlened round stee	oroject w oks were ol (30cm,	as slated allegadly grade I) o	for comple encountere and were	stion od in the	,	
6.	work was to in July 1958 in The fall Joneiderable	be completed and the post 1959. bottlened round stee	oroject w oks were ol (30cm,	as slated allegadly grade I) o	for comple encountere and were	stion od in the	a	
6.	work was to in July 1958 in the fall Considerable lelivery of threatening	be completed and the post 1959. bottlened round stee	oroject w oks were ol (30cm,	as slated allegadly grade I) o	for comple encountere and were	stion od in the	a	
6.	work was to in July 1958 in the fall Considerable lelivery of threatening	be completed and the post 1959. bottlened round stee	oroject w oks were ol (30cm,	as slated allegadly grade I) o	for comple encountere and were	stion od in the	a	
6.	work was to in July 1958 in the fall Considerable lelivery of threatening	be completed and the post 1959. bottlened round stee	oroject w oks were ol (30cm,	as slated allegadly grade I) o	for comple encountere and were	stion od in the	a	
6.	work was to in July 1958 in the fall Considerable lelivery of threatening	be completed and the post 1959. bottlened round stee	oroject w oks were ol (30cm,	as slated allegadly grade I) o	for comple encountere and were	stion od in the	a	
6.	work was to in July 1958 in the fall Considerable lelivery of threatening	be completed and the post 1959. bottlened round stee	oroject w oks were ol (30cm,	as slated allegadly grade I) o	for comple encountere and were	stion od in the	a	
6.	work was to in July 1958 in the fall Considerable lelivery of threatening	be completed and the post 1959. bottlened round stee	oroject w oks were ol (30cm,	as slated allegadly grade I) o	for comple encountere and were	stion od in the	a	
6.	work was to in July 1958 in the fall Considerable lelivery of threatening	be completed and the post 1959. bottlened round stee	oroject w oks were ol (30cm,	as slated allegadly grade I) o	for comple encountere and were	stion od in the	a	
6.	work was to in July 1958 in the fall Considerable lelivery of threatening	be completed and the post 1959. bottlened round stee	oroject w oks were ol (30cm,	as slated allegadly grade I) o	for comple encountere and were	stion od in the	a ·	
6.	work was to in July 1958 in the fall Considerable lelivery of threatening	be completed and the post 1959. bottlened round stee	oroject w oks were ol (30cm,	as slated allegadly grade I) o	for comple encountere and were	stion od in the	a	
6.	work was to in July 1958 in the fall Considerable lelivery of threatening	be completed and the post 1959. bottlened round stee	oroject w oks were ol (30cm,	as slated allegadly grade I) o	for comple encountere and were	stion od in the	a	



Sanitized Copy Approved for Release 2010/06/24: CIA-RDP80T00246A045600040001-1

